

AMENDMENTS TO THE CLAIMS

Claim 1 (Currently Amended): An organic light emitting device having a plurality of emission layers between an anode and a cathode,

said emission layers being separated from each other by an equipotential surface forming layer or a charge generating layer,

wherein said organic light emitting device has, at least either inside or outside the device, a light scattering means for scattering light emitted from said emission layers, and

wherein $(x1-x2)^2+(y1-y2)^2$ is less than 3.1×10^{-3} , with x1 being a CIE-x value and y1 being a CIE-y value of a CIE chromaticity coordinate value when observed in a 0° direction and x2 being a CIE-x value and y2 being a CIE-y value of a CIE chromaticity coordinate value when observed in the 45° direction.

Claim 2 (Original): The organic light emitting device as set forth in claim 1, wherein said light scattering means is made up by forming at least one of said anode and said cathode by a light-scattering and light-reflective electrode.

Claim 3 (Original): The organic light emitting device as set forth in claim 1, wherein said light scattering means is made up by forming at least one of said anode and said cathode by an optically-transparent electrode and providing a light-scattering and light-reflective element on said optically-transparent electrode on the opposite side of said emission layers.

Claim 4 (Original): The organic light emitting device as set forth in claim 1, wherein said light scattering means is made up by forming at least one of said anode and said cathode by a light-scattering and optically-transparent electrode.

Claim 5 (Original): The organic light emitting device as set forth in claim 1, wherein said light scattering means is made up by forming at least one of said anode and said cathode by an optically-transparent electrode and providing a light-scattering and optically-transparent element on said optically-transparent electrode on the opposite side of said emission layers.

Claim 6 (Currently Amended): ~~An~~ The organic light emitting device as set forth in claim 1, having a plurality of emission layers between an anode and a cathode,

said emission layers being separated from each other by an equipotential surface forming layer or a charge generating layer,

wherein said organic light emitting device has, at least either inside or outside the device, a light scattering means for scattering light emitted from said emission layers, and

wherein said light scattering means is made up by forming said equipotential surface forming layer or said charge generating layer so that it has a light scattering property.

Claim 7 (Currently Amended): An organic light emitting device having a plurality of emission layers between an anode and a cathode,

said emission layers are separated from each other by an equipotential surface forming layer or a charge generating layer,

wherein both said anode and said cathode are formed by optically-transparent electrodes, a light reflective element being provided on one of said optically-transparent electrodes on the opposite side of said emission layers,

a distance between said light reflective element and said emission layers being set to a distance where an angle dependency of light emission brightness and light emission color can be reduced ~~optical interference does not occur substantively.~~

Claim 8 (Previously Presented): The organic light emitting device as set forth in claim 1, wherein

said plurality of emission layers comprises emission layers of at least two different emission colors.

Claim 9 (Original): The organic light emitting device as set forth in claim 8, wherein an emission color of the organic light emitting device is white.

Claim 10 (Previously Presented): The organic light emitting device as set forth in claim 7, wherein said plurality of emission layers comprises emission layers of at least two different emission colors.

Claim 11 (Previously Presented): The organic light emitting device as set forth in claim 10, wherein an emission color of the organic light emitting device is white.

Claim 12 (New): The organic light emitting device as set forth in claim 7, wherein the distance between the light reflective element and the emission layers is in the range of about 1 μ m to 1mm.

Claim 13 (New): The organic light emitting device as set forth in claim 7, wherein the light reflective element is a multilayered film of a dielectric.